

MSDS NO: F.110

PRINTING DATE:25.12.2017

REVISION: 00

according to (EC) No 96/335/EC & 76/768/EEC

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

PRODUCT NAME BUILD GC 110
INTENDED USE High Wetting Power Floor & Surface Maintenance & Cleaning Product
MANUFACTURER / SUPPLIER NAME AND ADDRESS;
COMPANY NAME LABOORY KİMYA TEMİZLİK MADDELERİ PLASTİK SAN. VE TİC. LTD. ŞTİ.
İkitelli OSB Mah. Metal İş Sanayi Sitesi 18. Blok No:10/10
Başakşehir / İstanbul.
Web e-mail: www.laboory.com
PRODUCTION COMPANY;
COMPANY NAME ENDEKS KİMYA A.Ş.
Adnan Kahveci Mah. Davutpaşa Cad. No:17 Beylikdüzü/İSTANBUL
E-posta: info@endekskimya.com, Web : www.endekskimya.com

Web e-mail:

Phone: +90 212 856 13 66

EMERGENCY INFORMATION (UZEM): 114

Information for the Product about Person : Lokman Çolak

Information for the MSDS about Person msds writer Sinem Yazıcı

e- mail adress : lokmancolak@endekskimya.com , laboratuar@endekskimya.com

2. HAZARDS IDENTIFICATION

Most important hazards;

Serious eye irritation Category 2; H319; Causes serious eye irritation.

Full text of H statements : see section 16



GHS07

Signal Word: Warning

WARNINGS AND PRECAUTIONS: You must read the operating instructions. Wear gloves while using. Keep away from children. Do not mix with another product or substance. Keep away from food stuffs. In case of poisoning, call the National Poison Information Center (UZEM) phone number 114 or the Emergency Health Services phone number 112.

MSDS NO: F.110

PRINTING DATE:25.12.2017

REVISION: 00

according to (EC) No 96/335/EC & 76/768/EEC

*P102 – Keep out of reach of children.

*P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

* P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove the contact lenses from the attached and made-up coles. Keep rubbing.

*P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

*P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

2.3 Other Losses: None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	EC No.	CAS No	Content(%)	SEA
				Class, H Phares*
ETHYL ALCOHOL	200-578-6	64-17-5	%5	Flammable Liquids Category 2; H225
2- (2-butoxyethoxy) ethanol	-	112-34-5	< %5	Serious eye irritation Category 2; H319
Sodium Lauryl Ether Sulfate	-	9004-82-4	<%5	Eye Dam. 1, H318, Skin Irritation Category 2;H315
Alcohols, C10-12, ethoxylated, propoxylated	940-634-3	68154-97-2	<%5	Serious eye irritation Category 2; H319
Alcohols, C9-11, ethoxylated	-	68439-46-3	<%5	-
mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one and 2-methyl-2H - isothiazol-3-one	247-500-7 and 220-239-6	55965-84-9	< 0,0015	Skin Corr. 1B, H314, H301 +H311+H331, Hazardous to aquatic environment Short term /Acute Category 1; H400

DYE; C.I. 42650/16185

*For full text of the H-Phrases indicated by codes see section 16 'Other Information'.

4. FIRST AID MEASURES

General advice Show this safety data sheet to the doctor in attendance.

Ingestion: Do not try to vomit.

Never give anything by mouth to an unconscious person. If symptoms persist or recur, seek medical attention.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

Skin: Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Obtain medical attention.

MSDS NO: F.110

PRINTING DATE:25.12.2017

REVISION: 00

according to (EC) No 96/335/EC & 76/768/EEC

Inhalation: Move to fresh air. If symptoms persist, call a physician.

Protection of first-aiders Wear impervious gloves and tightly fitting safety goggles.

Avoid contact with skin and eyes.

5. FIRE FIGHTING MEASURES

Flammable Properties: Upper Flammable Limit: N/A

Lower Flammable Limit: N/A

Explosive Limits: UEL: N/A LEL: N/A

Auto-ignition Temperature: N/A

Hazardous Combustion Products: N/A

Explosion Data (Sensitivity to Mechanical Impact): N/A

Explosion Data (Sensitivity to Static Discharge): N/A

Suitable extinguishing media: carbon dioxide (CO₂), foam, dry chemical.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Refer to section 8 of SDS for personal protection details.

Avoid contact with skin and eyes. Wear impervious gloves and tightly fitting safety goggles.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods for cleaning up Dam up. Neutralize with limestone powder, lime, soda ash. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically and collect in suitable container for disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice.

Storage: Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Do not damage to the label.

MSDS NO: F.110

PRINTING DATE:25.12.2017

REVISION: 00

according to (EC) No 96/335/EC & 76/768/EEC

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: Avoid contact with eyes. Safety glasses recommended in those cases where handling the undiluted product involves a risk of splashing.

Hand protection: In normal use hand protection is not required. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves: nitrile rubber, NBR.

Skin and body protection: No special requirements under normal use conditions.

Respiratory protection: Personal protection is not normally required.

However, inhalation of dust, vapour or aerosol should be avoided.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9.PHYSICAL AND CHEMICAL PROPERTIES

Appearance (color, physical form, shape): PURPLE LIQUID

Odor: characteristic

Solubility in Water: Complete

Specific Gravity/Density: 1,0-1,1 (20°C)

Ph(%100); ~ 7,00-10,00 (20°C ,±0.2)

10.STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.Metals.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

MSDS NO: F.110

PRINTING DATE:25.12.2017

REVISION: 00

according to (EC) No 96/335/EC & 76/768/EEC

11.TOXICOLOGICAL INFORMATION

Toxicological information: When used and handled according to instructions, the product is unlikely to have any harmful effects.

Serious eye irritation Category 2; H319; Causes serious eye irritation.

Hazardous Ingredients:

ETHYL ALCOHOL (CAS;64-17-5);

Oral LD50 10470 mg/kg (rat)

Inhalation LC50 124.7 mg/L/4h (rat)

Dermal LD50 >15800 mg/kg (rabbit)

Alcohols, C9-11, ethoxylated (Cas No: 68439-46-3):

acute oral toxicity ; LD50 > 300 - <= 2000 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12.ECOLOGICAL INFORMATION

Environmental Information: The product may affect the acidity (pH value) in water and it may be harmful to aquatic organisms.

ETHYL ALCOHOL (CAS;64-17-5);

Acute Toxicity:

Algae (Chlorella vulgaris): EC50 (3d): 275 mg/l

Rainbow trout (Salmo gairdneri): LC50 (24h): 11200 mg/l

Daphnia magna: EC50 (48h): 12340 mg/l

13.DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14.TRANSPORT INFORMATION

14.1 UN number : it is not subject to a specific class of transport.

14.2 UN proper shipping name: N/A

14.3 Transport hazard class(es): N/A

14.4 Packing group : N/A

14.5 Environmental hazards : N/A

14.6 Special precautions for user N/A

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:Not applicable.

MSDS NO: F.110

PRINTING DATE:25.12.2017

REVISION: 00

according to (EC) No 96/335/EC & 76/768/EEC

15.REGULATORY INFORMATION

No data available

16.OTHER INFORMATION

*N/A. - Not Applicable *N/K. - Not Known *N.D.A.-No Data Available

Acute Tok.4:H302: Harmful if swallowed.

Risk Phrases

Flammable Liquids Category 2; H225 : Highly flammable liquid and vapour.

Serious eye irritation Category 2; H319; Causes serious eye irritation

Serious eye damage/eye irritation. Category 1;H318: Causes serious eye damage.

Skin Irritation Category 2;H315; Causes skin irritation

Skin Corrosion Category 1B; H314: Causes severe skin burns and eye damage

H301 +H311+H331; Toxic if swallowed, Toxic in contact with skin, Toxic if inhaled.

Hazardous to aquatic environment Short term /Acute Category 1; H400; Very toxic to aquatic life

Caution Phrase

*P102 – Keep out of reach of children.

*P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

* P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove the contact lenses from the attached and made-up coles. Keep rubbing.

*P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

*P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

DISCLAIMER: This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.